



**FEATURES**

- INTERIOR FLOOR AREA
  - 10 SF
- WALL, CEILING AND DOOR PANELS
  - 1/4" STEEL PLATE
- WALL AND CEILING PANEL REINFORCEMENT
  - 2"x2"x3/16" SQUARE TUBES WELDED TO WALL PANEL
- DOOR PANEL REINFORCEMENT
  - 1/4" STEEL PLATES WELDED TO DOOR PANEL
- DOOR HINGE
  - CONTINUOUS HINGE WITH 1-3/4" X 9" KNUCKLES
  - 15/16" DIA. SOLID STEEL HINGE PIN
  - CONNECTIONS MADE WITH WELDED SPLINE JOINTS
- DOOR LOCKING SYSTEM
  - THREE 15/16" DIA. SLIDE BARS
- FASTENERS
  - 3/4" DIA GRADE 5 BOLTS
- ANCHORING SYSTEM
  - 5/8" DIA. POWERS WEDGE-BOLT+ SCREW ANCHORS
- POWDER COATED FINISH

DESIGNED AND CONSTRUCTED IN ACCORDANCE WITH FEMA 361/320 AND ICC-500-2008

TESTED AND APPROVED BY WIND SCIENCE & ENGINEERING RESEARCH CENTER - DEBRIS IMPACT TEST FACILITY

ATSA (AMERICAN TORNADO SHELTER ASSOC) LISTED



UNLESS OTHERWISE SPECIFIED:

DIMENSIONS ARE IN INCHES  
 TOLERANCES:  
 FRACTIONAL ± 1/4  
 ANGULAR: ± 0.5°  
 ONE PLACE DECIMAL ± 0.1  
 TWO PLACE DECIMAL ± 0.01  
 THREE PLACE DECIMAL ± 0.005

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL

FINISH

DO NOT SCALE DRAWING

	NAME	DATE
DRAWN		6/27/2023
CHECKED		
ENG APPR.		
MFG APPR.		
Q.A.		

**PROPRIETARY AND CONFIDENTIAL**  
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF YOUR OUTDOOR, LC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF YOUR OUTDOOR, LC IS PROHIBITED. INFORMATION SUBJECT TO CHANGE WITHOUT NOTIFICATION.



REVISIONS			
REV.	DESCRIPTION	DATE	BY
A	RELEASE	6/29/2023	DF

SIZE	DWG. NO.	REV
B	FXII - 2X1	A
WEIGHT: 2037	LBS	SHEET 1 OF 1