



FEATURES

- INTERIOR FLOOR AREA
- 8.7 SF
- WALL, CEILING AND DOOR PANELS
- 1/4" STEEL PLATE
- WALL AND CEILING PANEL REINFORCEMENT
- 2"x2"x3/16" SQUARE TUBES WELDED TO WALL PANEL
- DOOR PANEL REINFORCEMENT
- 1/4" STEEL PLATES WELDED TO DOOR PANEL
- DOOR HINGE
- CONTINUOUS HINGE WITH 1-3/4" X 9" KNUCKLES
- 15/16" DIA. SOLID STEEL HINGE PIN
- CONNECTIONS MADE WITH WELDED SPLINE JOINTS
- DOOR LOCKING SYSTEM
- THREE 15/16" DIA. SLIDE BARS
- FASTENERS
- 3/4" DIA GRADE 5 BOLTS
- ANCHORING SYSTEM
- 5/8" DIA. POWERS WEDGE-BOLT+ SCREW ANCHORS
- POWDER COATED FINISH

DESIGNED AND CONSTRUCTED IN ACCORDANCE WITH FEMA 361/320 AND ICC-500-2008

TESTED AND APPROVED BY WIND SCIENCE & ENGINEERING RESEARCH CENTER - DEBRIS IMPACT TEST FACILITY

ATSA (AMERICAN TORNADO SHELTER ASSOC) LISTED



UNLESS OTHERWISE SPECIFIED:

DIMENSIONS ARE IN INCHES
TOLERANCES:
FRACTIONAL ± 1/4
ANGULAR: ± 0.5°
ONE PLACE DECIMAL ± 0.1
TWO PLACE DECIMAL ± 0.01
THREE PLACE DECIMAL ± 0.005

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL

FINISH

DO NOT SCALE DRAWING

	NAME	DATE
DRAWN		6/27/2023
CHECKED		
ENG APPR.		
MFG APPR.		
Q.A.		

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF YOUR OUTDOOR, LC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF YOUR OUTDOOR, LC IS PROHIBITED. INFORMATION SUBJECT TO CHANGE WITHOUT NOTIFICATION.

REVISIONS			
REV.	DESCRIPTION	DATE	BY
A	RELEASE	5/15/2024	DF
B	REVISED FRONT CORNERS	8/22/2024	DF



SIZE	DWG. NO.	REV
B	FXII - CRNR	B
WEIGHT:	LBS	SHEET 1 OF 1